Neonatal TSH kit Version 2015-06

### Material Safety Data Sheet According to EC No 1907/2006 and 1272/2008



#### I. Identification

Chemical name and synonyms: not applicable

Trade name and synonyms: Neonatal TSH kit (Ref: 23-01-192, 23-01-960)
Chemical family: Neonatal TSH kit (Ref: 23-01-192, 23-01-960)
In Vitro Diagnostic Test Kit (Reagents)

Formula: not applicable
Proper DOT shipping name: not applicable
DOT hazard classification: not applicable
Manufacturer: Astra Biotech GmbH
Manufacturer's Address: Rudower Chaussee 29,

12489 Berlin, Germany

Manufacturer's phone/fax: +49 (0)30 746 96 509/ +49 (0)30 367 405 135

# II. Hazards Identification

Chemicals always may cause some special hazards. Therefore they should be handled by trained personnel with the necessary care.

# III. Composition, Information on Ingredients

Product: Neonatal TSH kit

Component	Preservative	Concentration of the hazardous substances	Stability at +4°C
Microtiter plate	Gentamicin sulphate	-	12 months,
Wash solution, concentrated	none	-	12 months
Conjugate	Kathon MW	Kathon MW - 0.1%, active ingredients – 0.015%	12 months
Substrate	-	3,3',5,5'-tetramethylbenzidine -1.2mM; Hydrogen superoxide – 3.0mM	12 months
Stop solution	none	1M hydrochloric acid	12 months
Calibrators 0-5 (dried spots of blood)	Kathon MW	Kathon MW - 0.1%, active ingredients – 0.015%	12 months
Control (dried spot of blood)	Kathon MW	Kathon MW - 0.1%, active ingredients – 0.015%	12 months

#### Information on substances of human origin

Substance	Description	Source (blood, serum, plasma, tissue, cells etc.)	Hazard/Biohazard
TSH antigen	TSH Antigen, High-Purity	Human Pituitary Glands	Serum from donors has been tested and found to be negative for Anti-HIV-1 and 2, HBsAg, HBcAg, HCV and Syphilis by currently approved FDA methods
Suspension of human erythrocytes	Suspension of human erythrocytes 0(I) Rh+	Human Blood	Non reactive for HIV 1, HIV 2, HCV antibodies, HBsAg and Syphilis

Page 1 of 3 Neonatal TSH kit

Neonatal TSH kit Version 2015-06

### Material Safety Data Sheet According to EC No 1907/2006 and 1272/2008



#### IV. First Aid Measures

Symptoms of exposure:

CORROSIVE: Stop solution (1 M hydrochloric acid); POSSIBLE MUTAGEN: TMB Substrate solution;

POSSIBLE IRRITANT: TMB Substrate solution, Conjugate (Kathon MW - 0.1%, active ingredients -

0.015%)

In case of exposure to reagent solutions, we recommend the following emergency first-aid procedures:

- 1. Skin or Eye Contact: wash with tap water for at least 15 minutes. Remove any contaminated clothing. Obtain medical attention.
- 2. Inhalation: remove the affected individual to the fresh air. If breathing is difficult, give oxygen and call a physician.
- 3. Ingestion: Rinse the mouth with copious amounts of tap water and call a physician.

# V. Fire-fighting measures

Not applicable.

Usage of the reagents according to protocol should not incur a fire or explosion hazard. In case of fire, use water, foam, carbon dioxide or dry chemical, as suitable for surrounding fire and materials.

#### VI. Accidental Release Measures

Use standard laboratory absorbent materials for cleanup. Clean by enough water.

# VII. Handling and storage

Hygienic Practice in Storage: store in a cool (+2...+8 °C) and dry area away from direct sunlight and incompatible substances.

Hygienic Practice in Handling: handle all the samples and materials in contact with samples according to NCCLS guidelines for preventing transmission of blood-borne infections.

### VIII. Exposure control and personnel protection

Eye Protection: recommended Skin Protection: recommended

Respiratory Equipment: not applicable

Good laboratory practices should be followed when handling all the reagents.

#### IX. Physical data

pH: Conjugate: 7.4

TMB: 3.65 Stop solution: <1.0

## X. Stability and reactivity

TMB Substrate solution contains hydrogen peroxide which is an oxidizing agent. Kathon MW and TMB are irritants.

# XI. Toxicological information

Hydrochloric acid: LD<sub>50</sub> (rat) 900 mg/kg body weight

## XII. Ecological information:

Biological effects:

Hydrochloric acid is toxic for water organisms by shift of PH value. LD<sub>50</sub> 25 mg/L up.

# XIII. Disposal consideration

Dispose in accordance with Local, State and Federal Regulations.

Page 2 of 3 Neonatal TSH kit

Neonatal TSH kit Version 2015-06

### Material Safety Data Sheet According to EC No 1907/2006 and 1272/2008



Warning

# XIV. Transport Information

This product can be transported without any limitations. No regulations are to be applied.

# XV. Regulatory Information

European Labeling according to Regulation (EC) No 1272/2008.

Name Percent CAS-No hazard Symbols

Kathon MW 0.0015%<=C<0.06% 55965-84-9

Risk Phrases

H 317 May cause an allergic skin reaction

The following precautions should be observed:

- P261 Avoid breathing spray;
- P272 Contaminated work clothing should not be allowed out of the workplace;
- P280 Wear protective gloves/protective clothing/eye protection;
- P302+P352 IF ON SKIN: Wash with plenty of soap and water;
- P333+P313 If skin irritation or rash occurs: Get medical advice/attention;
- P363 Wash contaminated clothing before reuse;
- P501 Dispose of contents/container in accordance with national regulation.

#### XVI. Other information

This product is designed and evaluated for the professional use by qualified laboratory staff. It has to be used only as *in vitro* diagnostic medical device.

#### XVII. Disclaimer

The information above is believed to be accurate and represents the best information currently available to us. However we make no warranty of merchantability or any other warranty expressed or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purpose. In no way shall the company be liable for any claims, losses or damages of any third party or for lost profits of any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if the company has been advised of the possibility of such damages.

Page 3 of 3 Neonatal TSH kit